

**PREMIUM AEROTEC GMBH AUGSBURG PLANT 4  
(PETL LAB)**

**HAUNSTETTER STR. 225  
Building 428  
86179 AUGSBURG  
Germany**

**FOR THE ATTENTION OF**

Michael GEYRHALTER Head of Test Laboratory  
Marcus HARTMANN Authorities & Surveillance  
Markus KLUG Head of Structure Test  
Thomas WIEDERSATZ Engineering Quality

**CERTIFICATE PREPARED BY**  
BAVARD Karine

**YOUR QTML FOCAL POINT**  
BAVARD Karine

**E-MAIL**  
karine.bavard.external@airbus.com

**PHONE**  
+33 5 82 05 23 09

**DATE**  
07/03/2019

**OUR REFERENCE**  
SUR2019.0059 Ind. A

**ARP-ID of the External Shop**  
287747,1

**TYPE of External Shop**  
Captive

**Attestation letter for Qualification on Test Methods**

Dear Madam, Dear Sir,

We herewith inform that the couples <Test Methods / External Shop> as detailed in the Appendix have been either registered or modified in the Official Airbus Qualified Test Methods List (QTML).

The latest valid status of all qualified <Test Methods / External Shop> couples is published by regular QTML reports:

- On Airbus homepage for Suppliers (<https://www.airbus.com/be-an-airbus-supplier.html>) - Only Independent Labs.
- On Airbus Supply Portal A2QS - All External Shops.

A qualified couple is not linked to a specific product. It is the proof that the External Shop is meeting the requirement of the M20691.2: Perform Couple <Product/Supplier Site> Compliance and Maturity's Activities for Material Products Suppliers and/or M20691.3: Perform Couple <Product/Supplier Site> Compliance and Maturity's Activities for Aerostructure Parts Suppliers.

- On a quality aspect: we kindly ask you to indicate us any modification which could have a quality impact.
- Concerning technical requirements:
  - \* We kindly ask you to participate at least every 2 years to the PTP for the tests you perform on Airbus Products (see Appendix for details on next PTP participation requirements).  
You can find all necessary information about PTP participation process on the website: <https://ptpscheme.com>.  
In case of PTP results out of tolerances, the couples qualification can be downgraded to an authorisation to proceed or withdrawn and the PTP participation frequency is reduced to one year, subject to acceptance by Airbus of your Root Cause Analysis and associated Corrective Actions.
  - \* On the other hand, you shall supply at least every 2 years the results of your Internal Homogeneity Studies per Test Families.

Airbus reserves the right to withdraw or suspend the qualification at any time for specific reason, e.g.

- Any major incident(s) detected on one or several Test processes
- Lack in quality
- Evidence non-compliance with the M20691.2 and/or M20691.3
- Loss of Airbus Supplier Approval
- Stop of the Business

Yours faithfully,

**BAVARD Karine**

**Airbus Test Methods Auditor POMDT – CE  
Your QTML Focal Point**



**SAUX Alexandra**

**Test Methods Coordinator POMDT – CE**



Appendix: Matrix of qualified Couples <Test Methods / External Shop>

## APPENDIX: Matrix of qualified Couples <Test Methods / External Shop>

We hereby declare the External Shop:

### **PREMIUM AEROTEC GMBH AUGSBURG PLANT 4** **(PETL LAB)**

HAUNSTETTER STR. 225  
Building 428  
86179 AUGSBURG  
Germany

*CERTIFICATE PREPARED BY*  
BAVARD Karine  
*DATE*  
07/03/2019  
*OUR REFERENCE*  
SUR2019.0059 Ind. A  
*ARP-ID of the External Shop*  
287747,1  
*TYPE of External Shop*  
Captive

**Qualified or Authorised to proceed for the following Test processes:**

Test Standard(s) *	Test label	Complex.	Qualif. Status	Next PTP part. **	QCS Ref.	Remark
AITM 1-0002 (ISO 14129)	Fibre reinforced plastics - Determination of in-plane shear properties ( $\pm 45^\circ$ tensile test)	Low	Authorised to Proceed December 2019	2019		
AITM 1-0003	Determination of the glass transition temperatures (DMA)	High	Qualified	2020	161560	
AITM 1-0005 (EN 6033)	Fibre reinforced plastics - Determination of interlaminar fracture toughness energy - Mode I - G1c	High	Qualified	2020	131256	
AITM 1-0007-A / B / C / D	Fibre reinforced plastics - Determination of plain, open hole and filled hole tensile strength	Low	Authorised to Proceed December 2019	2019		
AITM 1-0008-A1	Fiber reinforced plastics - Determination of plain compression strength (Thick specimens, <200kN)	High	Authorised to Proceed December 2020	2020	126599	2020 PTP participation MANDATORY -> if not, disqualification
AITM 1-0008-A2	Fiber reinforced plastics - Determination of plain compression strength (Thin specimens, <100 kN)	High	Qualified	2019	126600	
AITM 1-0008-A3	Fiber reinforced plastics - Determination of plain compression strength (Thick specimens, < 500 kN)	High	Qualified	TBD *	161408	
AITM 1-0008-B / C / D	Fiber reinforced plastics - Determination of open hole or filled hole compression strength	Low	Qualified	2020		
AITM 1-0009-1 / 2	Fibre reinforced plastics - Determination of bearing strength by either pin or bolt bearing configuration	High	Qualified with limitations	2020	130159	AITM 1-0009-2 only
AITM 1-0010 (EN 6038)	Fibre reinforced plastics - Determination of compression strength after impact	High	Qualified	2019	131073	
AITM 1-0018	Fibre reinforced plastics - Sandwich flexural test - Four-point bending	Low	Qualified			
AITM 1-0019	Determination of tensile lap shear strength of composite joints	Low	Qualified	2019		Also according to QVA-Z10-46-09 (restricted to Legacy programs)
AITM 1-0024	Determination of the completeness of cure of organic coatings	Low	Qualified			
AITM 1-0033	Sealants: Determination of the curing rate of sealing materials	Low	Qualified			
AITM 1-0053	Carbon fibre reinforced plastics - Determination of fracture toughness energy of bonded joints - Mode I - G1c	High	Qualified	2021	131247	
AITM 1-0066	Fibre reinforced plastics - Determination of pull-out / pull-through strength on riveted joints	Low	Qualified			

© Airbus SAS, 2014. All rights reserved. Confidential and proprietary document. This document and all information contained herein is the sole property of Airbus SAS. No intellectual property rights are granted by the delivery of this document or the disclosure of its content. This document shall not be reproduced or disclosed to a third party without the express written consent of Airbus SAS. This document and its content shall not be used for any purpose other than that for which it is supplied.

## APPENDIX: Matrix of qualified Couples <Test Methods / External Shop>

We hereby declare the External Shop:

### PREMIUM AEROTEC GMBH AUGSBURG PLANT 4 (PETL LAB)

HAUNSTETTER STR. 225  
Building 428  
86179 AUGSBURG  
Germany

CERTIFICATE PREPARED BY

BAVARD Karine

DATE

07/03/2019

OUR REFERENCE

SUR2019.0059 Ind. A

ARP-ID of the External Shop

287747,1

TYPE of External Shop

Captive

Qualified or Authorised to proceed for the following Test processes:

Test Standard(s) *	Test label	Complex.	Qualif. Status	Next PTP part. **	QCS Ref.	Remark
AITM 2-0034	Sealants - Determination of tack-free time of sealing materials	Low	Qualified			
AITM 2-0061	Water pick up test-method to determine the impregnation level of prepreg materials	Low	Qualified			
AITM 3-0002	Analysis of non metallic material (uncured) by differential scanning calorimetry (DSC)	High	Qualified	2020	180940	qualified 28/02/2019
AITM 3-0008 (EN 6064)	Determination of the extent of cure by differential scanning calorimetry (DSC)	High	Qualified	2020	180954	qualified 28/02/2019
AITM 4-0005	Macroscopic and microscopic examination of fiber reinforced plastics	Low	Qualified			
AITM 7-0003	Sealants - Determination of application time of sealing materials	Low	Qualified			
ASTM B117	Standard practice for operating salt spray (Fog) apparatus	Low	Qualified	2019		
ASTM E399	Linear-elastic plane-strain fracture toughness K <sub>Ic</sub> of metallic materials	High	Qualified	2020	180694	
EN 12127	Textiles - Fabrics - Determination of mass per unit area using small samples	Low	Qualified			
EN 2002-1 (ASTM B557)	Tensile testing at ambient temperature	Low	Qualified	2020		
EN 2003-9	Titanium and titanium alloys - Part 9: Determination of surface contamination (method A: Micrographic examination / Method B: Hardness testing)	Low	Qualified with limitations	2020		Method A only
EN 2243-1	Structural adhesives - Part 1: Single lap shear	Low	Qualified	2019		
EN 2243-3	Structural adhesives - Part 3: Peeling test metal-honeycomb core	Low	Qualified	2019		
EN 2329	Textile glass fibre preimpregnates - Test method for the determination of mass per unit area	Low	Qualified			
EN 2330	Textile glass fibre preimpregnates - Test method for the determination of the content of volatile matter	Low	Qualified			
EN 2331	Textile glass fibre preimpregnates - Test method for the determination of the resin and fibre content and mass of fibre per unit area	Low	Qualified			

© Airbus SAS, 2014. All rights reserved. Confidential and proprietary document. This document and all information contained herein is the sole property of Airbus SAS. No intellectual property rights are granted by the delivery of this document or the disclosure of its content.

This document shall not be reproduced or disclosed to a third party without the express written consent of Airbus SAS. This document and its content shall not be used for any purpose other than that for which it is supplied.

Airbus SAS

Société par actions simplifiée au capital de 2.704.375 Euros

RCS Toulouse 383 474 81

## APPENDIX: Matrix of qualified Couples <Test Methods / External Shop>

We hereby declare the External Shop:

### PREMIUM AEROTEC GMBH AUGSBURG PLANT 4 (PETL LAB)

HAUNSTETTER STR. 225  
Building 428  
86179 AUGSBURG  
Germany

CERTIFICATE PREPARED BY

BAVARD Karine

DATE

07/03/2019

OUR REFERENCE

SUR2019.0059 Ind. A

ARP-ID of the External Shop

287747,1

TYPE of External Shop

Captive

Qualified or Authorised to proceed for the following Test processes:

Test Standard(s) *	Test label	Complex.	Qualif. Status	Next PTP part. **	QCS Ref.	Remark
EN 2332	Textile glass fibre preimpregnates - Test method for the determination of the resin flow	Low	Qualified			Also according to QVA-Z10-46-33 (restricted to Legacy Programs)
EN 2377 (ISO 14130)	Glass fibre reinforced plastics - Determination of apparent interlaminar shear strength	Low	Qualified			
EN 2557	Carbon fibre preimpregnates - Determination of mass per unit area	Low	Qualified			Also according to QVA-Z10-46-08 (restricted to Legacy Programs)
EN 2558	Carbon fibre preimpregnates - Determination of the volatile content	Low	Qualified			
EN 2559	Carbon fibre preimpregnates - Test method for the determination of the resin and fibre content and the mass of fibre per unit area	Low	Qualified			
EN 2560	Carbon fibre preimpregnates - Determination of the resin flow	Low	Qualified			
EN 2561	Carbon Fibre reinforced plastics - Unidirectional laminates - Tensile test parallel to the fibre direction	Low	Authorised to Proceed December 2019	2019		Also according to ISO 527-1, QVA-Z10-46-34 and QVA-Z10-46-36
EN 2563	Carbon fibre reinforced plastics - Unidirectional laminates - determination of apparent interlaminar shear strength	Low	Qualified	2020		Also according to QVA-Z10-46-10
EN 2564	Carbon fibre laminates - Determination of the fibre, resin and void contents	Low	Qualified	2019		
EN 2597	Carbon Fibre reinforced plastics - Unidirectional laminates - Tensile test perpendicular to the fibre direction	Low	Qualified			
EN 2747	Glass fibre reinforced plastics - Tensile test	Low	Qualified			
EN 2850-A (Pren) (ISO 14126-1)	Carbon fibre thermosetting resin unidirectional laminates - Compression test parallel to fibre direction - Method A	High	Qualified	2019	126660	
EN 2850-B (Pren) (ISO 14126-2)	Carbon fibre thermosetting resin unidirectional laminates - Compression test parallel to fibre direction - Method B	Low	Qualified	2019		
EN 6072	Constant amplitude fatigue testing (HCF)	High	Qualified	2019	171487	
EN 6072 (machining)	Fatigue test specimen machining (NADCAP test code O)	None	Qualified		171487	

© Airbus SAS, 2014. All rights reserved. Confidential and proprietary document. This document and all information contained herein is the sole property of Airbus SAS. No intellectual property rights are granted by the delivery of this document or the disclosure of its content. This document shall not be reproduced or disclosed to a third party without the express written consent of Airbus SAS. This document and its content shall not be used for any purpose other than that for which it is supplied.

## APPENDIX: Matrix of qualified Couples <Test Methods / External Shop>

We hereby declare the External Shop:

### PREMIUM AEROTEC GMBH AUGSBURG PLANT 4 (PETL LAB)

HAUNSTETTER STR. 225  
Building 428  
86179 AUGSBURG  
Germany

CERTIFICATE PREPARED BY

BAVARD Karine

DATE

07/03/2019

OUR REFERENCE

SUR2019.0059 Ind. A

ARP-ID of the External Shop

287747,1

TYPE of External Shop

Captive

Qualified or Authorised to proceed for the following Test processes:

Test Standard(s) *	Test label	Complex.	Qualif. Status	Next PTP part. **	QCS Ref.	Remark
ISO 14125	Fiber reinforced plastic composites - Determination of flexural properties	Low	Qualified			
ISO 1518	Paints and varnishes - Scratch test	Low	Qualified			
ISO 1519	Paints and varnishes - Bend test (cylindrical mandrel)	Low	Qualified			
ISO 2409	Paints and varnishes - Cross-cut test	Low	Qualified	2020		
ISO 2808	Paints and varnishes - Determination of film thickness	Low	Qualified with limitations	2020		Eddy current method
ISO 2812-2	Paints and varnishes - Determination of resistance to liquids - Part 2: Water immersion method	Low	Qualified	2020		
ISO 4628-2	Paints and varnishes - Evaluation of degradation of coatings - Designation of quantity and size of defects, and of intensity of uniform changes in appearance - Part 2: Assessment of degree of blistering	Low	Qualified			
ISO 527-4	Plastics - Determination of tensile properties - Part 4: Test conditions for isotropic and orthotropic fiber reinforced plastic composites	Low	Qualified			
ISO 6270-2	Paints and varnishes - Determination of resistance to humidity - Part 2: Procedure for exposing test specimens in condensation-water atmospheres	Low	Qualified			
ISO 6892	Metallic materials - Tensile testing - Part 1: Method of test at room temperature / Part 2: Method of test at elevated temperature / Part 3: Method of test at low temperature	Low	Qualified with limitations	2020		Part 1 only (room temperature)
ISO 7619-1	Rubber, vulcanized or thermoplastic - Determination of indentation hardness - Part 1: Durometer method (Shore hardness)	Low	Qualified			
ISO 9227 (ASTM B117)	Corrosion tests in artificial atmospheres - Salt spray tests	Low	Qualified	2019		Also according to QVA-Z10-59-01
QVA-Z10-46-20	Determination of resin content of prepregs	Low	Qualified			

© Airbus SAS, 2014. All rights reserved. Confidential and proprietary document. This document and all information contained herein is the sole property of Airbus SAS. No intellectual property rights are granted by the delivery of this document or the disclosure of its content. This document shall not be reproduced or disclosed to a third party without the express written consent of Airbus SAS. This document and its content shall not be used for any purpose other than that for which it is supplied.

## APPENDIX: Matrix of qualified Couples <Test Methods / External Shop>

We hereby declare the External Shop:

**PREMIUM AEROTEC GMBH AUGSBURG PLANT 4**  
**(PETL LAB)**

HAUNSTETTER STR. 225  
 Building 428  
 86179 AUGSBURG  
 Germany

*CERTIFICATE PREPARED BY*

BAVARD Karine

*DATE*

07/03/2019

*OUR REFERENCE*

SUR2019.0059 Ind. A

*ARP-ID of the External Shop*

287747,1

*TYPE of External Shop*

Captive

Qualified or Authorised to proceed for the following Test processes:

Test Standard(s) *	Test label	Complex.	Qualif. Status	Next PTP part. **	QCS Ref.	Remark
Z_Other	Other test - Specify in Remark	None	Qualified			Production line QVA-Z10-46-12: Determination of the Laminate Fibre Content of Cured Fibre Compounds (restricted to Legacy programs)

\* Unless otherwise specified, last issue of the standard shall apply.

\*\* Next PTP participation year is given for information - It is the External Shop's responsibility to check every year on the PTP Website (<https://ptpscheme.com/>) which kits are proposed.